



Product Catalog 2018

Antibiotics
Anti-Bacterial

Product Catalog Antibiotics Anti-Bacterial

Ampicillin

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|--------------------------|--------|------|--------|------------|------------|------------|
| Ampicillin, Sodium Salt/ | Powder | 5g | Bottle | A043-5GM | Inquire | Inquire |
| Ampicillin, Sodium Salt/ | Powder | 25g | Bottle | A043-25GM | Inquire | Inquire |
| Ampicillin, Sodium Salt/ | Powder | 100g | Bottle | A043-100GM | Inquire | Inquire |

Carbenicillin

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|---|--------|------|--------|------------|------------|------------|
| Carbenicillin, Disodium Salt/ USP Grade; CAS Number: 4800-94-6; Formula: C ₁₇ H ₁₆ N ₂ Na ₂ O ₆ S; Formula Weight: 422.36. Store at 2° - 8°C. | Powder | 5g | Bottle | C033-5GM | Inquire | Inquire |
| Carbenicillin, Disodium Salt/ USP Grade; CAS Number: 4800-94-6; Formula: C ₁₇ H ₁₆ N ₂ Na ₂ O ₆ S; Formula Weight: 422.36. Store at 2° - 8°C. | Powder | 10g | Bottle | C033-10GM | Inquire | Inquire |
| Carbenicillin, Disodium Salt/ USP Grade; CAS Number: 4800-94-6; Formula: C ₁₇ H ₁₆ N ₂ Na ₂ O ₆ S; Formula Weight: 422.36. Store at 2° - 8°C. | Powder | 25g | Bottle | C033-25GM | Inquire | Inquire |
| Carbenicillin, Disodium Salt/ USP Grade; CAS Number: 4800-94-6; Formula: C ₁₇ H ₁₆ N ₂ Na ₂ O ₆ S; Formula Weight: 422.36. Store at 2° - 8°C. | Powder | 100g | Bottle | C033-100GM | Inquire | Inquire |

Product Catalog Antibiotics Anti-Bacterial

Cefotaxime

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|--|--------|------|--------|------------|------------|------------|
| Cefotaxime, Sodium Salt/ USP Grade; CAS Number: 64485-93-4; Formula: C ₁₆ H ₁₆ N ₅ NaO ₇ S ₂ ; Formula Weight: 477.45. Store at 2° - 8°C. | Powder | 5g | Bottle | C032-5GM | Inquire | Inquire |
| Cefotaxime, Sodium Salt/ USP Grade; CAS Number: 64485-93-4; Formula: C ₁₆ H ₁₆ N ₅ NaO ₇ S ₂ ; Formula Weight: 477.45. Store at 2° - 8°C. | Powder | 10g | Bottle | C032-10GM | Inquire | Inquire |
| Cefotaxime, Sodium Salt/ USP Grade; CAS Number: 64485-93-4; Formula: C ₁₆ H ₁₆ N ₅ NaO ₇ S ₂ ; Formula Weight: 477.45. Store at 2° - 8°C. | Powder | 25g | Bottle | C032-25GM | Inquire | Inquire |
| Cefotaxime, Sodium Salt/ USP Grade; CAS Number: 64485-93-4; Formula: C ₁₆ H ₁₆ N ₅ NaO ₇ S ₂ ; Formula Weight: 477.45. Store at 2° - 8°C. | Powder | 100g | Bottle | C032-100GM | Inquire | Inquire |

Gentamicin

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|--------------------------------|--------|----------|---------|--------------|------------|------------|
| Gentamicin Solution (50mg/ml)/ | Liquid | 10ml | Bottle | ABL03-10ML | Inquire | Inquire |
| Gentamicin Solution (50mg/ml)/ | Liquid | 6 x 10ml | Bottles | ABL03-6X10ML | Inquire | Inquire |
| Gentamicin Solution (10mg/ml)/ | Liquid | 10ml | Bottle | ABL05-10ML | Inquire | Inquire |
| Gentamicin Solution (10mg/ml)/ | Liquid | 6 x 10ml | Bottles | ABL05-6X10ML | Inquire | Inquire |
| Gentamicin Sulfate/ | Powder | 1g | Bottle | G020-1GM | Inquire | Inquire |
| Gentamicin Sulfate/ | Powder | 5g | Bottle | G020-5GM | Inquire | Inquire |
| Gentamicin Sulfate/ | Powder | 10g | Bottle | G020-10GM | Inquire | Inquire |
| Gentamicin Sulfate/ | Powder | 25g | Bottle | G020-25GM | Inquire | Inquire |

Product Catalog
Antibiotics Anti-Bacterial

Penicillin G

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|----------------------------|--------|------|--------|------------|------------|------------|
| Penicillin G, Sodium Salt/ | Powder | 25g | Bottle | P056-25GM | Inquire | Inquire |
| Penicillin G, Sodium Salt/ | Powder | 100g | Bottle | P056-100GM | Inquire | Inquire |

Penicillin-Streptomycin

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|---|--------|--------------|---------|---------------|------------|------------|
| <p>Penicillin-Streptomycin Solution 100X/ This sterile-filtered solution contains 10,000 units/ml of penicillin and 10,000 µg/ml streptomycin in 0.9% saline. Penicillin-Streptomycin solution is effective against gram-positive and gram-negative bacteria. Suitable for use in cell culture. Store at -5° to -20°C.</p> | Liquid | 100ml | Bottle | PSL01-100ML | Inquire | Inquire |
| <p>Penicillin-Streptomycin Solution 100X/ This sterile-filtered solution contains 10,000 units/ml of penicillin and 10,000 µg/ml streptomycin in 0.9% saline. Penicillin-Streptomycin solution is effective against gram-positive and gram-negative bacteria. Suitable for use in cell culture. Store at -5° to -20°C.</p> | Liquid | 6 x 100ml | Bottles | PSL01-6X100ML | Inquire | Inquire |
| <p>Penicillin-Streptomycin-Glutamine Solution 100X/ This sterile-filtered solution contains 10,000 units/ml of penicillin, 10,000 µg/ml streptomycin and 29.2 mg/ml L-glutamine in 0.9% saline. Penicillin-Streptomycin-Glutamine solution is effective against gram-positive and gram-negative bacteria. Suitable for use in cell culture. Store at -5° to -20°C.</p> | Liquid | 100ml | Bottle | PSL02-100ML | Inquire | Inquire |

Product Catalog Antibiotics Anti-Bacterial

| | | | | | | |
|--|--------|--------------|---------|---------------|---------|---------|
| <p>Penicillin-Streptomycin-Glutamine Solution 100X/</p> <p>This sterile-filtered solution contains 10,000 units/ml of penicillin, 10,000 µg/ml streptomycin and 29.2 mg/ml L-glutamine in 0.9% saline. Penicillin-Streptomycin-Glutamine solution is effective against gram-positive and gram-negative bacteria. Suitable for use in cell culture. Store at -5° to -20°C.</p> | Liquid | 6 x 100ml | Bottles | PSL02-6X100ML | Inquire | Inquire |
|--|--------|--------------|---------|---------------|---------|---------|

Puromycin

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|----------------------------|--------|-------|--------|------------|------------|------------|
| Puromycin Dihydrochloride/ | Powder | 100mg | Bottle | P067-100MG | Inquire | Inquire |
| Puromycin Dihydrochloride/ | Powder | 500mg | Bottle | P067-500MG | Inquire | Inquire |
| Puromycin Dihydrochloride/ | Powder | 1g | Bottle | P067-1GM | Inquire | Inquire |

Streptomycin

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|-----------------------|--------|------|--------|------------|------------|------------|
| Streptomycin Sulfate/ | Powder | 25g | Bottle | S041-25GM | Inquire | Inquire |
| Streptomycin Sulfate/ | Powder | 100g | Bottle | S041-100GM | Inquire | Inquire |

Product Catalog Antibiotics Anti-Bacterial

Timentin

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|---|--------|-------|--------|-------------|------------|------------|
| Timentin/ 50X (50mg/ml) Timentin (15:1 Ticarcillin Disodium Salt : Potassium Clavulanate Mixture) solution. Sterile filtered. Store at -20 to -5°C. | Liquid | 10ml | Bottle | ABL07-10ML | Inquire | Inquire |
| Timentin/ 50X (50mg/ml) Timentin (15:1 Ticarcillin Disodium Salt : Potassium Clavulanate Mixture) solution. Sterile filtered. Store at -20 to -5°C. | Liquid | 50ml | Bottle | ABL07-50ML | Inquire | Inquire |
| Timentin/ 50X (50mg/ml) Timentin (15:1 Ticarcillin Disodium Salt : Potassium Clavulanate Mixture) solution. Sterile filtered. Store at -20 to -5°C. | Liquid | 100ml | Bottle | ABL07-100ML | Inquire | Inquire |
| Timentin/ 100X (100mg/ml) Timentin (15:1 Ticarcillin Disodium Salt : Potassium Clavulanate Mixture) solution. Sterile filtered. Store at -20 to -5°C. | Liquid | 10ml | Bottle | ABL08-10ML | Inquire | Inquire |
| Timentin/ 100X (100mg/ml) Timentin (15:1 Ticarcillin Disodium Salt : Potassium Clavulanate Mixture) solution. Sterile filtered. Store at -20 to -5°C. | Liquid | 50ml | Bottle | ABL08-50ML | Inquire | Inquire |
| Timentin/ 100X (100mg/ml) Timentin (15:1 Ticarcillin Disodium Salt : Potassium Clavulanate Mixture) solution. Sterile filtered. Store at -20 to -5°C. | liquid | 100ml | Bottle | ABL08-100ML | Inquire | Inquire |
| Timentin/ 15:1 Ticarcillin Disodium Salt / Potassium Clavulanate Mixture; CAS Numbers: 4697-14-7 and 61177-45-5. Store at 2° to 8°C. | Powder | 1g | Bottle | T034-1GM | Inquire | Inquire |
| Timentin/ 15:1 Ticarcillin Disodium Salt / Potassium Clavulanate Mixture; CAS Numbers: 4697-14-7 and 61177-45-5. Store at 2° to 8°C. | Powder | 5g | Bottle | T034-5GM | Inquire | Inquire |

Product Catalog Antibiotics Anti-Bacterial

| | | | | | | |
|--|--------|------|--------|------------|---------|---------|
| <p>Timentin/ 15:1 Ticarcillin Disodium Salt / Potassium Clavulanate Mixture; CAS Numbers: 4697-14-7 and 61177-45-5. Store at 2° to 8°C.</p> | Powder | 25g | Bottle | T034-25GM | Inquire | Inquire |
| <p>Timentin/ 15:1 Ticarcillin Disodium Salt / Potassium Clavulanate Mixture; CAS Numbers: 4697-14-7 and 61177-45-5. Store at 2° to 8°C.</p> | Powder | 100g | Bottle | T034-100GM | Inquire | Inquire |

Vancomycin

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|---|--------|------|--------|-----------|------------|------------|
| <p>Vancomycin HCl/ Used in combination with Cefotaxime to kill agrobacterium. CAS Number: 1404-93-9; Formula: C₆₆H₇₅Cl₂N₉O₂₄ . HCl; Formula Weight: 1485.71; Assay (dried basis): >900 ug/mg. Store below -20°C.</p> | Powder | 1g | Bottle | V007-1GM | Inquire | Inquire |
| <p>Vancomycin HCl/ Used in combination with Cefotaxime to kill agrobacterium. CAS Number: 1404-93-9; Formula: C₆₆H₇₅Cl₂N₉O₂₄ . HCl; Formula Weight: 1485.71; Assay (dried basis): >900 ug/mg. Store below -20°C.</p> | Powder | 5g | Bottle | V007-5GM | Inquire | Inquire |
| <p>Vancomycin HCl/ Used in combination with Cefotaxime to kill agrobacterium. CAS Number: 1404-93-9; Formula: C₆₆H₇₅Cl₂N₉O₂₄ . HCl; Formula Weight: 1485.71; Assay (dried basis): >900 ug/mg. Store below -20°C.</p> | Powder | 10g | Bottle | V007-10GM | Inquire | Inquire |
| <p>Vancomycin HCl/ Used in combination with Cefotaxime to kill agrobacterium. CAS Number: 1404-93-9; Formula: C₆₆H₇₅Cl₂N₉O₂₄ . HCl; Formula Weight: 1485.71; Assay (dried basis): >900 ug/mg. Store below -20°C.</p> | Powder | 25g | Bottle | V007-25GM | Inquire | Inquire |

Antibiotics
Anti-Mycotic

Product Catalog

Antibiotics Anti-Mycotic

Amphotericin B

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|--------------------------|--------|--------------|---------|---------------|------------|------------|
| Amphotericin B/ | Powder | 500mg | Bottle | A039-500MG | Inquire | Inquire |
| Amphotericin B/ | Powder | 1g | Bottle | A039-1GM | Inquire | Inquire |
| Amphotericin B/ | Powder | 5g | Bottle | A039-5GM | Inquire | Inquire |
| Amphotericin B Solution/ | Liquid | 100ml | Bottle | ABL01-100ML | Inquire | Inquire |
| Amphotericin B Solution/ | liquid | 6 x 100ml | Bottles | ABL01-6X100ML | Inquire | Inquire |

Nystatin

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|----------------------|--------|-------------|---------|---------------|------------|------------|
| Nystatin Suspension/ | Liquid | 100 | ml | ABL04-100ML | Inquire | Inquire |
| Nystatin Suspension/ | Liquid | 6 x100ml | Bottles | ABL04-6X100ML | Inquire | Inquire |
| Nystatin/ | Powder | 5g | Bottle | N011-5GM | Inquire | Inquire |
| Nystatin/ | Powder | 10g | Bottle | N011-10GM | Inquire | Inquire |

Antibiotics
Anti-Viral

Rifampicin

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|--|--------|------|--------|-----------|------------|------------|
| Rifampicin/ CAS Number: 13292-46-1; Formula: C ₄₃ H ₅₈ N ₄ O ₁₂ ; Formula Weight: 822. 94; Store below 0°C. | Powder | 1g | Bottle | R008-1GM | Inquire | Inquire |
| Rifampicin/ CAS Number: 13292-46-1; Formula: C ₄₃ H ₅₈ N ₄ O ₁₂ ; Formula Weight: 822. 94; Store below 0°C. | Powder | 5g | Bottle | R008-5GM | Inquire | Inquire |
| Rifampicin/ CAS Number: 13292-46-1; Formula: C ₄₃ H ₅₈ N ₄ O ₁₂ ; Formula Weight: 822. 94; Store below 0°C. | Powder | 10g | Bottle | R008-10GM | Inquire | Inquire |
| Rifampicin/ CAS Number: 13292-46-1; Formula: C ₄₃ H ₅₈ N ₄ O ₁₂ ; Formula Weight: 822. 94; Store below 0°C. | Powder | 25g | Bottle | R008-25GM | Inquire | Inquire |

Antibiotics Broad Range

Product Catalog Antibiotics Broad Range

Antibiotic-Antimycotic

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|---|--------|--------------|---------|---------------|------------|------------|
| Antibiotic-Antimycotic Solution (100X)/ | Liquid | 100ml | Bottle | ABL02-100ML | Inquire | Inquire |
| Antibiotic-Antimycotic Solution (100X)/ | Liquid | 6 x 100ml | Bottles | ABL02-6X100ML | Inquire | Inquire |

Plant Preservative Mixture (PPM)

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|------------------------------------|--------|--------|--------|--------------|------------|------------|
| Plant Preservative Mixture (PPM™)/ | Liquid | 10ml | Bottle | PPL33-10ML | Inquire | Inquire |
| Plant Preservative Mixture (PPM™)/ | Liquid | 30ml | Bottle | PPL33-30ML | Inquire | Inquire |
| Plant Preservative Mixture (PPM™)/ | Liquid | 100ml | Bottle | PPL33-100ML | Inquire | Inquire |
| Plant Preservative Mixture (PPM™)/ | Liquid | 500ml | Bottle | PPL33-500ML | Inquire | Inquire |
| Plant Preservative Mixture (PPM™)/ | Liquid | 1000ml | Bottle | PPL33-1000ML | Inquire | Inquire |

Antibiotics Selection

Product Catalog Antibiotics Selection

Bialaphos

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|--|--------|-------|--------|------------|------------|------------|
| Bialaphos Sodium Salt/ Bialaphos is a tripeptide antibiotic with herbicidal properties used to select the bar gene. Bialaphos works great on monocots such as wheat and corn. CAS Number 7108-99-2; Formula: C ₁₁ H ₂₁ N ₃ NaO ₆ PNa; Formula Weight: 345.26. Store at -20 °C. | Powder | 100mg | Bottle | B009-100MG | Inquire | Inquire |
| Bialaphos Sodium Salt/ Bialaphos is a tripeptide antibiotic with herbicidal properties used to select the bar gene. Bialaphos works great on monocots such as wheat and corn. CAS Number 7108-99-2; Formula: C ₁₁ H ₂₁ N ₃ NaO ₆ PNa; Formula Weight: 345.26. Store at -20 °C. | Powder | 250mg | Bottle | B009-250MG | Inquire | Inquire |

G-418

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|---|--------|-------|--------|-------------|------------|------------|
| G418 Sulfate Solution/ G418 Sulfate Solution, 50 mg/ml. Store at 2° to 8°C. Ships with ice packs. | Liquid | 20ml | Bottle | ABL06-20ML | Inquire | Inquire |
| G418 Sulfate Solution/ G418 Sulfate Solution, 50 mg/ml. Store at 2° to 8°C. Ships with ice packs. | Liquid | 50ml | Bottle | ABL06-50ML | Inquire | Inquire |
| G418 Sulfate Solution/ G418 Sulfate Solution, 50 mg/ml. Store at 2° to 8°C. Ships with ice packs. | Liquid | 100ml | Bottle | ABL06-100ML | Inquire | Inquire |
| G418 Sulfate/ | Powder | 1g | Bottle | G030-1GM | Inquire | Inquire |
| G418 Sulfate/ | Powder | 5g | Bottle | G030-5GM | Inquire | Inquire |
| G418 Sulfate/ | Powder | 10g | Bottle | G030-10GM | Inquire | Inquire |

Product Catalog Antibiotics Selection

Gentamicin

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|--------------------------------|--------|----------|---------|--------------|------------|------------|
| Gentamicin Solution (50mg/ml)/ | Liquid | 10ml | Bottle | ABL03-10ML | Inquire | Inquire |
| Gentamicin Solution (50mg/ml)/ | Liquid | 6 x 10ml | Bottles | ABL03-6X10ML | Inquire | Inquire |
| Gentamicin Sulfate/ | Powder | 1g | Bottle | G020-1GM | Inquire | Inquire |
| Gentamicin Sulfate/ | Powder | 5g | Bottle | G020-5GM | Inquire | Inquire |
| Gentamicin Sulfate/ | Powder | 10g | Bottle | G020-10GM | Inquire | Inquire |
| Gentamicin Sulfate/ | Powder | 25g | Bottle | G020-25GM | Inquire | Inquire |

Product Catalog Antibiotics Selection

Hygromycin B

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|--|--------|------|--------|-----------|------------|------------|
| <p>Hygromycin B/ CAS Number: 31282-04-9; Formula: C₂₀H₃₇N₃O₁₃; Formula Weight: 527. 5. Store at 2° to 8°C. This item is considered a Dangerous Good for shipping purposes and cannot be shipped to a residential address. A \$25 Dangerous Good Fee may be added per box to the shipping cost of this item.</p> | Powder | 1g | Bottle | H010-1GM | Inquire | Inquire |
| <p>Hygromycin B/ CAS Number: 31282-04-9; Formula: C₂₀H₃₇N₃O₁₃; Formula Weight: 527. 5. Store at 2° to 8°C. This item is considered a Dangerous Good for shipping purposes and cannot be shipped to a residential address. A \$25 Dangerous Good Fee may be added per box to the shipping cost of this item.</p> | Powder | 5g | Bottle | H010-5GM | Inquire | Inquire |
| <p>Hygromycin B/ CAS Number: 31282-04-9; Formula: C₂₀H₃₇N₃O₁₃; Formula Weight: 527. 5. Store at 2° to 8°C. This item is considered a Dangerous Good for shipping purposes and cannot be shipped to a residential address. A \$25 Dangerous Good Fee may be added per box to the shipping cost of this item.</p> | Powder | 10g | Bottle | H010-10GM | Inquire | Inquire |

Product Catalog Antibiotics Selection

Kanamycin

| NAME/DESCRIPTION | FORMAT | SIZE | UNIT | CATALOG # | LIST PRICE | YOUR PRICE |
|--|--------|------|--------|------------|------------|------------|
| Kanamycin Sulfate/ CAS Number: 25389-94-0; Formula: C ₁₈ H ₃₆ N ₄ O ₁₁ • H ₂ SO ₄ ; Formula Weight: 582.58. Store at -20° to -5°C. | Powder | 5g | Bottle | K003-5GM | Inquire | Inquire |
| Kanamycin Sulfate/ CAS Number: 25389-94-0; Formula: C ₁₈ H ₃₆ N ₄ O ₁₁ • H ₂ SO ₄ ; Formula Weight: 582.58. Store at -20° to -5°C. | Powder | 10g | Bottle | K003-10GM | Inquire | Inquire |
| Kanamycin Sulfate/ CAS Number: 25389-94-0; Formula: C ₁₈ H ₃₆ N ₄ O ₁₁ • H ₂ SO ₄ ; Formula Weight: 582.58. Store at -20° to -5°C. | Powder | 25g | Bottle | K003-25GM | Inquire | Inquire |
| Kanamycin Sulfate/ CAS Number: 25389-94-0; Formula: C ₁₈ H ₃₆ N ₄ O ₁₁ • H ₂ SO ₄ ; Formula Weight: 582.58. Store at -20° to -5°C. | Powder | 100g | Bottle | K003-100GM | Inquire | Inquire |