



**Product Catalog 2018**

**Antibiotics**  
**Anti-Bacterial**

## Product Catalog Antibiotics Anti-Bacterial

### Ampicillin

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Ampicillin, Sodium Salt/	Powder	5g	Bottle	A043-5GM	Inquire	Inquire
Ampicillin, Sodium Salt/	Powder	25g	Bottle	A043-25GM	Inquire	Inquire
Ampicillin, Sodium Salt/	Powder	100g	Bottle	A043-100GM	Inquire	Inquire

### Carbenicillin

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Carbenicillin, Disodium Salt/ USP Grade; CAS Number: 4800-94-6; Formula: C17H16N2O6SNa2; Formula Weight: 422.36. Store at 2° - 8°C.	Powder	5g	Bottle	C033-5GM	Inquire	Inquire
Carbenicillin, Disodium Salt/ USP Grade; CAS Number: 4800-94-6; Formula: C17H16N2O6SNa2; Formula Weight: 422.36. Store at 2° - 8°C.	Powder	10g	Bottle	C033-10GM	Inquire	Inquire
Carbenicillin, Disodium Salt/ USP Grade; CAS Number: 4800-94-6; Formula: C17H16N2O6SNa2; Formula Weight: 422.36. Store at 2° - 8°C.	Powder	25g	Bottle	C033-25GM	Inquire	Inquire
Carbenicillin, Disodium Salt/ USP Grade; CAS Number: 4800-94-6; Formula: C17H16N2O6SNa2; Formula Weight: 422.36. Store at 2° - 8°C.	Powder	100g	Bottle	C033-100GM	Inquire	Inquire

## Product Catalog Antibiotics Anti-Bacterial

### Cefotaxime

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Cefotaxime, Sodium Salt/ USP Grade; CAS Number: 64485-93-4; Formula: C <sub>16</sub> H <sub>16</sub> N <sub>5</sub> NaO <sub>7</sub> S <sub>2</sub> ; Formula Weight: 477.45. Store at 2° - 8°C.	Powder	5g	Bottle	C032-5GM	Inquire	Inquire
Cefotaxime, Sodium Salt/ USP Grade; CAS Number: 64485-93-4; Formula: C <sub>16</sub> H <sub>16</sub> N <sub>5</sub> NaO <sub>7</sub> S <sub>2</sub> ; Formula Weight: 477.45. Store at 2° - 8°C.	Powder	10g	Bottle	C032-10GM	Inquire	Inquire
Cefotaxime, Sodium Salt/ USP Grade; CAS Number: 64485-93-4; Formula: C <sub>16</sub> H <sub>16</sub> N <sub>5</sub> NaO <sub>7</sub> S <sub>2</sub> ; Formula Weight: 477.45. Store at 2° - 8°C.	Powder	25g	Bottle	C032-25GM	Inquire	Inquire
Cefotaxime, Sodium Salt/ USP Grade; CAS Number: 64485-93-4; Formula: C <sub>16</sub> H <sub>16</sub> N <sub>5</sub> NaO <sub>7</sub> S <sub>2</sub> ; Formula Weight: 477.45. Store at 2° - 8°C.	Powder	100g	Bottle	C032-100GM	Inquire	Inquire

### Gentamicin

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Gentamicin Solution (50mg/ml)/	Liquid	10ml	Bottle	ABL03-10ML	Inquire	Inquire
Gentamicin Solution (50mg/ml)/	Liquid	6 x 10ml	Bottles	ABL03-6X10ML	Inquire	Inquire
Gentamicin Solution (10mg/ml)/	Liquid	10ml	Bottle	ABL05-10ML	Inquire	Inquire
Gentamicin Solution (10mg/ml)/	Liquid	6 x 10ml	Bottles	ABL05-6X10ML	Inquire	Inquire
Gentamicin Sulfate/	Powder	1g	Bottle	G020-1GM	Inquire	Inquire
Gentamicin Sulfate/	Powder	5g	Bottle	G020-5GM	Inquire	Inquire
Gentamicin Sulfate/	Powder	10g	Bottle	G020-10GM	Inquire	Inquire
Gentamicin Sulfate/	Powder	25g	Bottle	G020-25GM	Inquire	Inquire

## Product Catalog Antibiotics Anti-Bacterial

### Penicillin G

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Penicillin G, Sodium Salt/	Powder	25g	Bottle	P056-25GM	Inquire	Inquire
Penicillin G, Sodium Salt/	Powder	100g	Bottle	P056-100GM	Inquire	Inquire

**Penicillin-Streptomycin**

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
<p><b>Penicillin-Streptomycin Solution 100X/</b> This sterile-filtered solution contains 10,000 units/ml of penicillin and 10,000 µg/ml streptomycin in 0.9% saline. Penicillin-Streptomycin solution is effective against gram-positive and gram-negative bacteria. Suitable for use in cell culture. Store at -5° to -20°C.</p>	Liquid	100ml	Bottle	PSL01-100ML	Inquire	Inquire
<p><b>Penicillin-Streptomycin Solution 100X/</b> This sterile-filtered solution contains 10,000 units/ml of penicillin and 10,000 µg/ml streptomycin in 0.9% saline. Penicillin-Streptomycin solution is effective against gram-positive and gram-negative bacteria. Suitable for use in cell culture. Store at -5° to -20°C.</p>	Liquid	6 x 100ml	Bottles	PSL01-6X100ML	Inquire	Inquire
<p><b>Penicillin-Streptomycin-Glutamine Solution 100X/</b> This sterile-filtered solution contains 10,000 units/ml of penicillin, 10,000 µg/ml streptomycin and 29.2 mg/ml L-glutamine in 0.9% saline. Penicillin-Streptomycin-Glutamine solution is effective against gram-positive and gram-negative bacteria. Suitable for use in cell culture. Store at -5° to -20°C.</p>	Liquid	100ml	Bottle	PSL02-100ML	Inquire	Inquire

## Product Catalog Antibiotics Anti-Bacterial

<p><b>Penicillin-Streptomycin-Glutamine Solution 100X/</b></p> <p>This sterile-filtered solution contains 10,000 units/ml of penicillin, 10,000 µg/ml streptomycin and 29.2 mg/ml L-glutamine in 0.9% saline. Penicillin-Streptomycin-Glutamine solution is effective against gram-positive and gram-negative bacteria. Suitable for use in cell culture. Store at -5° to -20°C.</p>	Liquid	6 x 100ml	Bottles	PSL02-6X100ML	Inquire	Inquire
--	--------	--------------	---------	---------------	---------	---------

### Puromycin

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Puromycin Dihydrochloride/	Powder	100mg	Bottle	P067-100MG	Inquire	Inquire
Puromycin Dihydrochloride/	Powder	500mg	Bottle	P067-500MG	Inquire	Inquire
Puromycin Dihydrochloride/	Powder	1g	Bottle	P067-1GM	Inquire	Inquire

### Streptomycin

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Streptomycin Sulfate/	Powder	25g	Bottle	S041-25GM	Inquire	Inquire
Streptomycin Sulfate/	Powder	100g	Bottle	S041-100GM	Inquire	Inquire

## Product Catalog Antibiotics Anti-Bacterial

### Timentin

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Timentin/ 50X (50mg/ml) Timentin (15:1 Ticarcillin Disodium Salt : Potassium Clavulanate Mixture) solution. Sterile filtered. Store at -20 to -5°C.	Liquid	10ml	Bottle	ABL07-10ML	Inquire	Inquire
Timentin/ 50X (50mg/ml) Timentin (15:1 Ticarcillin Disodium Salt : Potassium Clavulanate Mixture) solution. Sterile filtered. Store at -20 to -5°C.	Liquid	50ml	Bottle	ABL07-50ML	Inquire	Inquire
Timentin/ 50X (50mg/ml) Timentin (15:1 Ticarcillin Disodium Salt : Potassium Clavulanate Mixture) solution. Sterile filtered. Store at -20 to -5°C.	Liquid	100ml	Bottle	ABL07-100ML	Inquire	Inquire
Timentin/ 100X (100mg/ml) Timentin (15:1 Ticarcillin Disodium Salt : Potassium Clavulanate Mixture) solution. Sterile filtered. Store at -20 to -5°C.	Liquid	10ml	Bottle	ABL08-10ML	Inquire	Inquire
Timentin/ 100X (100mg/ml) Timentin (15:1 Ticarcillin Disodium Salt : Potassium Clavulanate Mixture) solution. Sterile filtered. Store at -20 to -5°C.	Liquid	50ml	Bottle	ABL08-50ML	Inquire	Inquire
Timentin/ 100X (100mg/ml) Timentin (15:1 Ticarcillin Disodium Salt : Potassium Clavulanate Mixture) solution. Sterile filtered. Store at -20 to -5°C.	liquid	100ml	Bottle	ABL08-100ML	Inquire	Inquire
Timentin/ 15:1 Ticarcillin Disodium Salt / Potassium Clavulanate Mixture; CAS Numbers: 4697-14-7 and 61177-45-5. Store at 2° to 8°C.	Powder	1g	Bottle	T034-1GM	Inquire	Inquire
Timentin/ 15:1 Ticarcillin Disodium Salt / Potassium Clavulanate Mixture; CAS Numbers: 4697-14-7 and 61177-45-5. Store at 2° to 8°C.	Powder	5g	Bottle	T034-5GM	Inquire	Inquire



## Product Catalog Antibiotics Anti-Bacterial

<p><b>Timentin/</b> 15:1 Ticarcillin Disodium Salt / Potassium Clavulanate Mixture; CAS Numbers: 4697-14-7 and 61177-45-5. Store at 2° to 8°C.</p>	Powder	25g	Bottle	T034-25GM	Inquire	Inquire
<p><b>Timentin/</b> 15:1 Ticarcillin Disodium Salt / Potassium Clavulanate Mixture; CAS Numbers: 4697-14-7 and 61177-45-5. Store at 2° to 8°C.</p>	Powder	100g	Bottle	T034-100GM	Inquire	Inquire

**Vancomycin**

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
<p><b>Vancomycin HCl/</b> Used in combination with Cefotaxime to kill agrobacterium. CAS Number: 1404-93-9; Formula: C<sub>66</sub>H<sub>75</sub>Cl<sub>2</sub>N<sub>9</sub>O<sub>24</sub> . HCl; Formula Weight: 1485.71; Assay (dried basis): &gt;900 ug/mg. Store below -20°C.</p>	Powder	1g	Bottle	V007-1GM	Inquire	Inquire
<p><b>Vancomycin HCl/</b> Used in combination with Cefotaxime to kill agrobacterium. CAS Number: 1404-93-9; Formula: C<sub>66</sub>H<sub>75</sub>Cl<sub>2</sub>N<sub>9</sub>O<sub>24</sub> . HCl; Formula Weight: 1485.71; Assay (dried basis): &gt;900 ug/mg. Store below -20°C.</p>	Powder	5g	Bottle	V007-5GM	Inquire	Inquire
<p><b>Vancomycin HCl/</b> Used in combination with Cefotaxime to kill agrobacterium. CAS Number: 1404-93-9; Formula: C<sub>66</sub>H<sub>75</sub>Cl<sub>2</sub>N<sub>9</sub>O<sub>24</sub> . HCl; Formula Weight: 1485.71; Assay (dried basis): &gt;900 ug/mg. Store below -20°C.</p>	Powder	10g	Bottle	V007-10GM	Inquire	Inquire
<p><b>Vancomycin HCl/</b> Used in combination with Cefotaxime to kill agrobacterium. CAS Number: 1404-93-9; Formula: C<sub>66</sub>H<sub>75</sub>Cl<sub>2</sub>N<sub>9</sub>O<sub>24</sub> . HCl; Formula Weight: 1485.71; Assay (dried basis): &gt;900 ug/mg. Store below -20°C.</p>	Powder	25g	Bottle	V007-25GM	Inquire	Inquire

**Antibiotics**  
**Anti-Mycotic**

## Product Catalog Antibiotics Anti-Mycotic

### Amphotericin B

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Amphotericin B/	Powder	500mg	Bottle	A039-500MG	Inquire	Inquire
Amphotericin B/	Powder	1g	Bottle	A039-1GM	Inquire	Inquire
Amphotericin B/	Powder	5g	Bottle	A039-5GM	Inquire	Inquire
Amphotericin B Solution/	Liquid	100ml	Bottle	ABL01-100ML	Inquire	Inquire
Amphotericin B Solution/	liquid	6 x 100ml	Bottles	ABL01-6X100ML	Inquire	Inquire

### Nystatin

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Nystatin Suspension/	Liquid	100	ml	ABL04-100ML	Inquire	Inquire
Nystatin Suspension/	Liquid	6 x100ml	Bottles	ABL04-6X100ML	Inquire	Inquire
Nystatin/	Powder	5g	Bottle	N011-5GM	Inquire	Inquire
Nystatin/	Powder	10g	Bottle	N011-10GM	Inquire	Inquire

**Antibiotics**  
**Anti-Viral**

**Rifampicin**

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Rifampicin/ CAS Number: 13292-46-1; Formula: C <sub>43</sub> H <sub>58</sub> N <sub>4</sub> O <sub>12</sub> ; Formula Weight: 822. 94; Store below 0°C.	Powder	1g	Bottle	R008-1GM	Inquire	Inquire
Rifampicin/ CAS Number: 13292-46-1; Formula: C <sub>43</sub> H <sub>58</sub> N <sub>4</sub> O <sub>12</sub> ; Formula Weight: 822. 94; Store below 0°C.	Powder	5g	Bottle	R008-5GM	Inquire	Inquire
Rifampicin/ CAS Number: 13292-46-1; Formula: C <sub>43</sub> H <sub>58</sub> N <sub>4</sub> O <sub>12</sub> ; Formula Weight: 822. 94; Store below 0°C.	Powder	10g	Bottle	R008-10GM	Inquire	Inquire
Rifampicin/ CAS Number: 13292-46-1; Formula: C <sub>43</sub> H <sub>58</sub> N <sub>4</sub> O <sub>12</sub> ; Formula Weight: 822. 94; Store below 0°C.	Powder	25g	Bottle	R008-25GM	Inquire	Inquire

# **Antibiotics Broad Range**

# Product Catalog

## Antibiotics Broad Range

### Antibiotic-Antimycotic

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Antibiotic-Antimycotic Solution (100X)/	Liquid	100ml	Bottle	ABL02-100ML	Inquire	Inquire
Antibiotic-Antimycotic Solution (100X)/	Liquid	6 x 100ml	Bottles	ABL02-6X100ML	Inquire	Inquire

### Plant Preservative Mixture (PPM)

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Plant Preservative Mixture (PPM™)/	Liquid	10ml	Bottle	PPL33-10ML	Inquire	Inquire
Plant Preservative Mixture (PPM™)/	Liquid	30ml	Bottle	PPL33-30ML	Inquire	Inquire
Plant Preservative Mixture (PPM™)/	Liquid	100ml	Bottle	PPL33-100ML	Inquire	Inquire
Plant Preservative Mixture (PPM™)/	Liquid	500ml	Bottle	PPL33-500ML	Inquire	Inquire
Plant Preservative Mixture (PPM™)/	Liquid	1000ml	Bottle	PPL33-1000ML	Inquire	Inquire



# **Antibiotics Selection**

## Product Catalog Antibiotics Selection

### Bialaphos

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
<b>Bialaphos Sodium Salt/</b> Bialaphos is a tripeptide antibiotic with herbicidal properties used to select the bar gene. Bialaphos works great on monocots such as wheat and corn. CAS Number 7108-99-2; Formula: C11H21N3NaO6PNa; Formula Weight: 345.26. Store at -20 °C.	Powder	100mg	Bottle	B009-100MG	Inquire	Inquire
<b>Bialaphos Sodium Salt/</b> Bialaphos is a tripeptide antibiotic with herbicidal properties used to select the bar gene. Bialaphos works great on monocots such as wheat and corn. CAS Number 7108-99-2; Formula: C11H21N3NaO6PNa; Formula Weight: 345.26. Store at -20 °C.	Powder	250mg	Bottle	B009-250MG	Inquire	Inquire

### G-418

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
<b>G418 Sulfate Solution/</b> G418 Sulfate Solution, 50 mg/ml. Store at 2° to 8°C. Ships with ice packs.	Liquid	20ml	Bottle	ABL06-20ML	Inquire	Inquire
<b>G418 Sulfate Solution/</b> G418 Sulfate Solution, 50 mg/ml. Store at 2° to 8°C. Ships with ice packs.	Liquid	50ml	Bottle	ABL06-50ML	Inquire	Inquire
<b>G418 Sulfate Solution/</b> G418 Sulfate Solution, 50 mg/ml. Store at 2° to 8°C. Ships with ice packs.	Liquid	100ml	Bottle	ABL06-100ML	Inquire	Inquire
<b>G418 Sulfate/</b>	Powder	1g	Bottle	G030-1GM	Inquire	Inquire
<b>G418 Sulfate/</b>	Powder	5g	Bottle	G030-5GM	Inquire	Inquire
<b>G418 Sulfate/</b>	Powder	10g	Bottle	G030-10GM	Inquire	Inquire

## Product Catalog Antibiotics Selection

### Gentamicin

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
Gentamicin Solution (50mg/ml)/	Liquid	10ml	Bottle	ABL03-10ML	Inquire	Inquire
Gentamicin Solution (50mg/ml)/	Liquid	6 x 10ml	Bottles	ABL03-6X10ML	Inquire	Inquire
Gentamicin Sulfate/	Powder	1g	Bottle	G020-1GM	Inquire	Inquire
Gentamicin Sulfate/	Powder	5g	Bottle	G020-5GM	Inquire	Inquire
Gentamicin Sulfate/	Powder	10g	Bottle	G020-10GM	Inquire	Inquire
Gentamicin Sulfate/	Powder	25g	Bottle	G020-25GM	Inquire	Inquire

## Product Catalog Antibiotics Selection

### Hygromycin B

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
<p><b>Hygromycin B/</b> CAS Number: 31282-04-9; Formula: C<sub>20</sub>H<sub>37</sub>N<sub>3</sub>O<sub>13</sub>; Formula Weight: 527. 5. Store at 2° to 8°C. This item is considered a Dangerous Good for shipping purposes and cannot be shipped to a residential address. A \$25 Dangerous Good Fee may be added per box to the shipping cost of this item.</p>	Powder	1g	Bottle	H010-1GM	Inquire	Inquire
<p><b>Hygromycin B/</b> CAS Number: 31282-04-9; Formula: C<sub>20</sub>H<sub>37</sub>N<sub>3</sub>O<sub>13</sub>; Formula Weight: 527. 5. Store at 2° to 8°C. This item is considered a Dangerous Good for shipping purposes and cannot be shipped to a residential address. A \$25 Dangerous Good Fee may be added per box to the shipping cost of this item.</p>	Powder	5g	Bottle	H010-5GM	Inquire	Inquire
<p><b>Hygromycin B/</b> CAS Number: 31282-04-9; Formula: C<sub>20</sub>H<sub>37</sub>N<sub>3</sub>O<sub>13</sub>; Formula Weight: 527. 5. Store at 2° to 8°C. This item is considered a Dangerous Good for shipping purposes and cannot be shipped to a residential address. A \$25 Dangerous Good Fee may be added per box to the shipping cost of this item.</p>	Powder	10g	Bottle	H010-10GM	Inquire	Inquire

## Product Catalog Antibiotics Selection

### Kanamycin

NAME/DESCRIPTION	FORMAT	SIZE	UNIT	CATALOG #	LIST PRICE	YOUR PRICE
<b>Kanamycin Sulfate/</b> CAS Number: 25389-94-0; Formula: C <sub>18</sub> H <sub>36</sub> N <sub>4</sub> O <sub>11</sub> • H <sub>2</sub> SO <sub>4</sub> ; Formula Weight: 582.58. Store at 0° to -20°C.	Powder	5g	Bottle	K003-5GM	Inquire	Inquire
<b>Kanamycin Sulfate/</b> CAS Number: 25389-94-0; Formula: C <sub>18</sub> H <sub>36</sub> N <sub>4</sub> O <sub>11</sub> • H <sub>2</sub> SO <sub>4</sub> ; Formula Weight: 582.58. Store at 0° to -20°C.	Powder	10g	Bottle	K003-10GM	Inquire	Inquire
<b>Kanamycin Sulfate/</b> CAS Number: 25389-94-0; Formula: C <sub>18</sub> H <sub>36</sub> N <sub>4</sub> O <sub>11</sub> • H <sub>2</sub> SO <sub>4</sub> ; Formula Weight: 582.58. Store at 0° to -20°C.	Powder	25g	Bottle	K003-25GM	Inquire	Inquire
<b>Kanamycin Sulfate/</b> CAS Number: 25389-94-0; Formula: C <sub>18</sub> H <sub>36</sub> N <sub>4</sub> O <sub>11</sub> • H <sub>2</sub> SO <sub>4</sub> ; Formula Weight: 582.58. Store at 0° to -20°C.	Powder	100g	Bottle	K003-100GM	Inquire	Inquire